# Bayer Environmental Science

# **Material Safety Data Sheet**



MSDS Number: 000000002253

MSDS Version: 1.0

Approval Date: 12/15/2004

## **Hunter 75 WSP Insecticide**

#### **SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION**

Product Name Hunter 75 WSP Insecticide

**Chemical Name Common Name** 

MSDS Number 2253

**Chemical Family Chemical Formulation** 

**EPA Registration No.** 432-1318

Product Use Insecticide for foliar and systemic insect control in turfgrass (including sod

farms), landscape ornamentals, fruit and nut trees, and interior plantscapes.

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For MEDICAL, TRANSPORTATION or Other EMERGENCY call 1-800-334-7577 24 hours/day For Product Information call 1-800-331-2867

#### **SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS No.	Concentration % by Weight	
		Minimum	Maximum
Imidacloprid Technical	138261-41-3	72.7000	77.2000
Sodium Aluminum Silicate	1344-00-9		

#### **SECTION 3. HAZARDS IDENTIFICATION**

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed, inhaled or absorbed through the skin. Causes eye

irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust or

vapor.

Physical State Solid Powder

Odor None

Appearance Light brown

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

Routes of Exposure Ingestion, Eye contact, Skin contact, Skin Absorption, Inhalation

**Immediate Effects** 

**Eye** Causes eye irritation. Avoid contact with the eyes.

**Skin** Harmful if absorbed through skin. Avoid contact with skin and clothing.

**Ingestion** Harmful if swallowed. Do not take internally.

**Inhalation** Harmful if inhaled. Avoid breathing dust or vapor.

#### **SECTION 4. FIRST AID MEASURES**

General Have the product container or label with you when calling a poison control center

or doctor or going for treatment.

**Eye** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

**Skin** Take off all contaminated clothing immediately. Rinse immediately with plenty of

water for at least 15 minutes. Call a poison control center or doctor for treatment

advice.

**Ingestion** Call a poison control center or doctor immediately for treatment advice. Have

person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by

mouth to an unconscious person.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

**Notes to Physician** 

**Treatment** There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Flash Point Not applicable

Suitable Extinguishing

Media

Water, Carbon dioxide (CO2), Foam, Dry chemical

**Fire Fighting Instructions**Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Dike area to prevent runoff and contamina

exposed to fire with water spray. Dike area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become

contaminated.

In the event of fire, wear self-contained breathing apparatus.

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

General and Disposal Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces.

Land Spill or Leaks Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes.

Use recommended protective equipment while carefully sweeping up spilled material. Place in covered container for reuse or disposal. Scrub contaminated area with soap and water. Rinse with water. Use dry absorbent material such as

clay granules to absorb and collect wash solution for proper disposal.

Contaminated soil may have to be removed and disposed. Do not allow material

to enter streams, sewers, or other waterways.

#### **SECTION 7. HANDLING AND STORAGE**

**Handling Procedures** Do not allow children and pets to enter the treated area until it has dried.

Handle and open container in a manner as to prevent spillage.

Storing Procedures Do not freeze.

Store in a cool, dry place and in such a manner as to prevent cross

contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures

Wash thoroughly with soap and water after handling.

Remove and wash contaminated clothing before re-use. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and

change into clean clothing.

Wash hands before eating, drinking, chewing gum, using tobacco or using the

toilet.

Min/Max Storage Temperatures

30 day average temperature not to exceed 38°C (100°F).

# **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls** Ensure adequate ventilation. Use with local exhaust ventilation.

**Eye/Face Protection** Tightly fitting safety goggles.

Hand Protection Chemical resistant gloves made of waterproof material such as polyethylene or

polyvinyl chloride.

**Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**Respiratory Protection** When respiratory protection is necessary under the conditions of use, wear a

respirator approved by the National Institute for Occupational Safety and Health

(NIOSH).

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

**General Protection** Educate and train employees in safe use of the product. Follow all label

instructions.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE

separately from other laundry.

**Exposure Limits** 

Sodium Aluminum 1344-00-9 ACGIH TWA 2 mg/m3

Silicate

Expressed as as Al

NIOSH REL 2 mg/m3

Expressed as as Al

OSHA Z1A TWA 2 mg/m3

Expressed as as Al

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Light brown

Physical State Solid Powder

Odor None

**pH** 7 Determined as a 1% suspension in distilled water.

Bulk Density 30 lbs/cu.-ft.

Water Solubility Dispersible

#### **SECTION 10. STABILITY AND REACTIVITY**

**Chemical Stability** Stable under recommended storage conditions.

**Hazardous** Proposed compounds due to fire or other extreme conditions:

**Decomposition Products** Hydrogen cyanide (hydrocyanic acid)

Carbon monoxide Nitrogen oxides (NOx) Hydrogen chloride (HCI)

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

Acute Oral Toxicity Male Rat: LD50: 2,591 mg/kg

Female Rat: LD50: 1,858 mg/kg

Acute Dermal Toxicity Male/Female Rat: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity Male Rat: LC50: 2.65 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

Female Rat: LC50: 2.75 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

Male Rat: LC50: 10.6 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

(actual)

Female Rat: LC50: 11.0 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

(actual)

**Skin Irritation** Rabbit: slight irritation

**Eye Irritation** Rabbit: Mild eye irritation

**Sensitization** Guinea pig: non-sensitizing

**Subchronic Toxicity** In a 3-week dermal toxicity study, rabbits treated with imidacloprid showed no

local or systemic effects at levels up to and including 1000 mg/Kg, the limit dose.

In a 4-week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and

organ weights.

**Chronic Toxicity** In chronic dietary studies in rats and dogs exposed to imidacloprid, the target

organs were the thyroid and/or liver.

#### **Assessment Carcinogenicity**

In oncongenicity studies in rats and mice, imidacloprid was not considered carcinogenic in either species.

**ACGIH** 

None

NTP

None

IARC

None

OSHA

None

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

Reproductive & Developmental Toxicity

REPRODUCTION: In a two-generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with material toxicity.

DEVELOPMENTAL TOXICITY: In developmental toxicity studies in rats and rabbits, there was no evidence of an embryonic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high does and in conjunction with maternal toxicity.

**Neurotoxicity** 

In acute and subchronic neurotoxicity screening studies in rats, imidacloprid produced slight neurobehavioral effects in each study at the highest dose tested. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity

The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.

#### **SECTION 12. ECOLOGICAL INFORMATION**

# Environmental Precautions

Highly toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### **Ecological Information**

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

General Disposal Guidance

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal** 

**RCRA Classification** 

Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.

Not Regulated under this Statute

# SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I., other than poison

## **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

#### **SECTION 15. REGULATORY INFORMATION**

**EPA Registration No.** 432-1318

## **US Federal Regulations**

**TSCA list** 

Sodium Aluminum Silicate 1344-00-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

None

#### **US States Regulatory Reporting**

#### CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

# US State right-to-know ingredients

None

# **Canadian Regulations**

#### **Canadian Domestic Substance List**

Sodium Aluminum Silicate 1344-00-9

#### **Environmental**

**CERCLA** 

None

**Clean Water Section 307 Priority Pollutants** 

None

**Safe Drinking Water Act Maximum Contaminant Levels** 

None

#### International Regulations

**EU Classification** 

None

# **European Inventory of Existing Commercial Substances (EINECS)**

Sodium Aluminum Silicate 1344-00-9

# **Hunter 75 WSP Insecticide**

MSDS Number: 000000002253 MSDS Version 1.0

## **SECTION 16. OTHER INFORMATION**

NFPA 704: (National Fire Protection Association)

Health - 1 Flammability - 1 Reactivity - 1 Others - None

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

MSDS REVISION INDICATOR: New Material Safety Data Sheet

Approval Date: 12/15/2004

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG.:Bayer Environmental Science