## 1. IDENTIFICATION

Manufacturer:

Product name: Quali-Pro® Bifenthrin I/T 7.9 F

Chemical name of active ingredient(s): Bifenthrin: (2-methyl[1,1'-biphenyl]-3-yl)-methyl-3-(2-

chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethyl

cyclopropanecarboxylate FarmSaver.com, LLC.

4515 Falls of Neuse Road, Suite 300

Raleigh, NC 27609 Phone: 1-800-979-8994

For fire, spill, and/or leak emergencies,

contact CHEMTREC:

Phone: 1-800-424-9300 Outside US: 1-703-527-3887

For medical emergencies and health and safety inquiries, contact Prosar:

Phone: 1-800-308-5391

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMMON NAME	CAS NO.	%	OSHA PEL	ACGIH TLV	OTHER	NTP/IARC/OSHA (Carcinogen)
Bifenthrin NA=Not available.	82657-04-3	7.9	NA	NA	NA	NA ,

### 3. HAZARDS IDENTIFICATIONS

### PHYSICAL PROPERTIES

Appearance: Eggshell white liquid

Odor: Mild chemical odor

**EMERGENCY OVERVIEW** CAUTION Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PRIMARY ROUTES OF EXPOSURE: Skin and eye and inhalation.

**POTENTIAL HEALTH EFFECTS:** Effects from overexposure may result from either swallowing, inhaling or coming into contact with the skin or eyes. Symptoms of overexposure include bleeding from the nose, tremors and convulsions. Contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED: None known.

**PHYSICAL AND CHEMICAL HAZARDS: DO NOT** apply water-based dilutions of Bifenthrin I/T 7.9 F to electrical conduits, motor housings, junction boxes, switch boxes or other electrical equipment because of possible shock hazard.

## **4.FIRST AID MEASURES**

FIRST AID					
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.				
	Have person sip a glass of water if able to swallow.				
	DO NOT induce vomiting unless told to do so by the poison control				
	center or doctor.				
	DO NOT give anything by mouth to an unconscious person.				
IF INHALED:	Move person to fresh air.				
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.				
	Call a poison control center or doctor for further treatment advice.				
IF ON SKIN OR	Take off contaminated clothing.				
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.				

Page 2 of 5

. •			
	Call a poison control center or doctor for treatment advice.		
IF IN EYES:	Hold eye open and rinse slowly and gently with water 15-20 minutes.		
	Remove contact lenses, if present, after the first 5 minutes, then		
	continuing rinsing eye.		
	Call a poison control center or doctor for treatment advice.		
Have the product container or label with you when calling a poison control center or doctor, or			
going for treatment. You may also contact PROSAR (800) 308-5391.			
Note to Physician - This product is a pyrethroid. If large amounts have been ingested, the			
stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible			
fats, oils, or alcohol may increase absorption and so should be avoided.			

## 5. FIRE FIGHTING MEASURES

**FLASH POINT:** >100°C/212°F (TCC)

FLAMMABLE LIMITS LFL: Not available UFL: Not available

**EXTINGUISHING MEDIA:** Foam, CO<sub>2</sub>, or dry chemical. Soft stream water fog only if necessary.

Contain runoff.

**FIRE & EXPLOSION HAZARDS:** Slightly combustible. This material may support combustion at elevated temperature.

**FIRE-FIGHTING PROCEDURES:** Isolate fire area and evacuate downwind. DO NOT breathe gases, smoke or vapors generated. Wear self-contained breathing apparatus and full-protective clothing.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under fire conditions, may produce carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, chlorine and fluorine.

### 6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spills. Keep unprotected people, pets and other animals away from spills. Confine liquid spills by diking with an absorbent material such as cat litter or clay. Cover spills of treated dry materials to prevent contact and dispersion. Put damaged packages into a suitable container large enough to hold the entire package and be appropriately sealed. Mark the holding container to identify its contents and follow disposal directions. For major spills, call 1-800-424-9300 (CHEMTREC).

## 7. HANDLING AND STORAGE

DO NOT contaminate water, food, or feed by storage or disposal.

**Handling:** Do not use or store near heat, open flame or hot surfaces. Carefully open containers and after partial use close container tightly. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**Storage:** Store in a cool, dry area that is inaccessible to children, pets, and other animals. Store concentrate only in the original container. Never put dilute or concentrated Bifenthrin I/T 7.9 F in containers for food or beverages. When opening containers, take appropriate care to avoid spills. Securely replace lids after partial use.

**STORAGE TEMPERATURE (MIN/MAX):** Normal ambient temperatures. Avoid excessive heat.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

MATERIAL SAFETY DATA SHEET

Quali-Pro® Bifenthrin I/T 7.9 F

Page 3 of 5

**EYE PROTECTION:** Protective eyewear or chemical safety glasses with side shields or chemical goggles when working in non-ventilated spaces.

**SKIN PROTECTION:** Long-sleeve shirt, long pants, shoes plus socks.

**HAND PROTECTION:** Chemical-resistant gloves.

**RESPIRATOR REQUIREMENTS:** All pesticide handlers must wear a respiratory protection device when working in a non-ventilated space. Use one of the following: NIOSH-approved respirator with an R, P, or HE filter or a NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.

VENTILATION: Whenever possible, adequate ventilation should be used to minimize the need for personal protective equipment.

## **WORK HYGIENIC PRACTICES:**

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Thoroughly wash the outside of gloves with soap and water prior to removal. Remove and wash contaminated clothing and wash before reuse; use detergent and hot water. Keep and wash separately from other laundry. Leather items (such as watchbands, belts, shoes) that become contaminated should be removed and destroyed.

### ADDITIONAL PROTECTIVE MEASURES:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **USER SAFETY RECOMMENDATIONS:**

### **Users Should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**EXPOSURE GUIDELINES:** Refer to Section 2.

**ENGINEERING CONTROLS:** Minimize airborne concentrations.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Eggshell white liquid

**ODOR:** Mild chemical odor

**pH:** 5.8-6.2

FLASH POINT: >100°C/212°F (TCC) SPECIFIC GRAVITY: 1.038 @ 20° C SOLUBILITY IN WATER: Disperses

## 10. STABILITY AND REACTIVITY

**STABILITY:** Stable. Store in a cool, dry, well-ventilated place.

CONDITIONS TO AVOID: Avoid excessive heat or fire. Do not use or store near heat, open

flame or hot surfaces.

POLYMERIZATION: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

## **ACUTE TOXICITY/IRRITATION STUDIES**

Acute Oral LD50 (Rat): > 500 mg/kg
Acute Dermal LD50 (Rat): >2,000 mg/kg
Acute Inhalation LC50 (Rat): >10 mg/L/1 hr
Eye Irritation: Not available
Dermal Irritation: Not available
Dermal Sensitization: Not available

MATERIAL SAFETY DATA SHEET

Quali-Pro® Bifenthrin I/T 7.9 F

Page 4 of 5

**MUTAGENIC POTENTIAL:** 

Bifenthrin: None observed. **TERATOGENIC EFFECTS:**Bifenthrin: None observed.

### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, to areas where surface waters present or to intertidal areas below the mean high water mark. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas.

**DO NOT** contaminate water when disposing of equipment washwaters. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. **DO NOT** apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

### 13. DISPOSAL CONSIDERATIONS

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. **DO NOT** contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Returnable/ Refillable Sealed Container: **DO NOT** rinse container. **DO NOT** empty remaining formulated product. **DO NOT** break seals. Return intact to point of purchase.

## 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Non-bulk packaging: Not Regulated.

B/L FREIGHT CLASSIFICATION: Item: 102120 [Insecticides, Fungicides, Insect or Animal

Repellant] Class 60

INTERNATIONAL TRANSPORTATION:

IMO (vessel): UN 3082, Environmentally Hazardous substances, liquid, n.o.s. (bifenthrin

7.9%), 9, PG III, Marine Pollutant

IATA (air): Not Regulated.

### 15. REGULATORY INFORMATION

### SARA TITLE III CLASSIFICATION:

Section 302: Not applicable.

Section 311/312: Acute health hazard (immediate)

Chronic health hazard (delayed)

Section 313: Bifenthrin (7.9%) CAS #:82657-04-3

CA PROPOSITION 65: Not applicable

CERCLA RQ: Not applicable

RCRA CLASSIFICATION: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

TSCA STATUS: The ingredients of this product are listed on the TSCA inventory or are exempt.

### 16. OTHER INFORMATION

MATERIAL SAFETY DATA SHEET Quali-Pro® Bifenthrin I/T 7.9 F

Page 5 of 5

NFPA HAZARD RATINGS NFPA HMIS

0 MINIMAL **HEALTH:** 1 1 FLAMMABILITY: 1 1 SLIGHT 1 REACTIVITY: 0 0 2 MODERATE HIGH 3

4 SEVERE

**MSDS DATE:** 10-23-07.

The information herein is given in good faith, but no warrant, express or implied, is made. Consult FarmSaver.com, LLC. for further information.