



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
 MSDS Version 1.0  
 Revision Date: 04/05/2005

**SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name** SUBMERGE 2F INSECTICIDE  
**MSDS Number** 102000006536  
**EPA Registration No.** 432-1312  
**Product Use** Broad spectrum systemic insecticide for use in a variety of indoor and outdoor applications.

Bayer Environmental Science  
 2 T.W. Alexander Drive  
 Research Triangle PK, NC 27709  
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call 1-800-334-7577 (24 hours/day)  
 For Product Information call 1-800-331-2867

**SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Imidacloprid	138261-41-3	21.40

**SECTION 3. HAZARDS IDENTIFICATION**

*NOTE: Please refer to Section 11 for detailed toxicological information.*

**Emergency Overview** Caution! Hazard to humans and domestic animals. Harmful if swallowed or absorbed through skin. Keep out of reach of children and animals.

**Physical State** viscous liquid suspension

**Odor** mild

**Appearance** off-white

**Routes of Exposure** Inhalation, Skin contact, Skin Absorption

**Immediate Effects**

**Eye** May cause eye irritation. Eye injury may persist for several days.

**Skin** Harmful if absorbed through skin. No skin irritation Non-sensitizing

**Ingestion** Harmful if swallowed.

**Inhalation** Harmful if inhaled.



**Material Safety Data Sheet**

MSDS Number: 102000006536  
MSDS Version 1.0

**SUBMERGE 2F INSECTICIDE**

**Chronic or Delayed Long-Term** This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.

**Medical Conditions Aggravated by Exposure** No specific medical conditions are known which may be aggravated by exposure to this product.

**SECTION 4. FIRST AID MEASURES**

**General** Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**Eye** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin** Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.

**Ingestion** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious or convulsing person.

**Inhalation** Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or Poison Control Centre immediately.

**Notes to Physician Treatment** There is no specific antidote. Treat symptomatically.

**SECTION 5. FIRE FIGHTING MEASURES**

**Flash Point** > 93 °C / > 199 °F

**Lower Flammability Limit** not applicable

**Upper Flammability Limit** not applicable

**Fire and Explosion Hazards** May give off poisonous fumes including hydrogenchloride and oxides of nitrogen.

**Suitable Extinguishing Media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
MSDS Version 1.0

**Fire Fighting Instructions**

Keep out of smoke. Cool containers / tanks with water spray. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses. Equipment or materials involved in pesticide fires may become contaminated.

Wear self-contained breathing apparatus and protective suit.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**Methods for Cleaning Up**

Dike area to prevent runoff. Recover material, if possible. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up and place in appropriate closed container (see Section 7: Handling and Storage). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Collect and contain contaminated absorbent and dike material for disposal. Do not allow spilt product to enter soil or waterways

**Additional Advice**

Isolate area and keep unauthorized people away. Avoid breathing vapors and avoid skin contact. Use proper protective equipment to minimize personal exposure (see Section 8). Contaminated soil may have to be removed and disposed. Contact Bayer for further assistance if necessary.

**SECTION 7. HANDLING AND STORAGE**

**Handling Procedures**

Read label carefully before use. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**Storing Procedures**

Store in an area that is clean, dry and cool. Store in an area away from food, feedstuffs, fertilizers and seed. Store in an area designated specifically for pesticides.

**Work/Hygienic Procedures**

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product.

**Min/Max Storage Temperatures**

No minimum / 30 day average not to exceed 100 F.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls**

Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Eye/Face Protection**

splash goggles

**Hand Protection**

Chemical resistant gloves made of waterproof material such as polyethylene or



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
 MSDS Version 1.0

polyvinyl chloride.

**Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**Respiratory Protection** No personal respiratory protective equipment normally required. When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or Industry recommendations.

**General Protection** Follow all label instructions. Eye wash facility and safety shower should be available. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water.

<b>Exposure Limits</b> Glycerine	56-81-5	ACGIH	TWA		10 mg/m3
			Form of Exposure	Mist.	
		OSHA Z1	PEL		5 mg/m3
			Form of Exposure	Respirable fraction.	
		OSHA Z1	PEL		15 mg/m3
			Form of Exposure	Total dust.	
		OSHA Z1A	TWA		5 mg/m3
			Form of Exposure	Respirable fraction.	
		OSHA Z1A	TWA		10 mg/m3
			Form of Exposure	Total dust.	
		US CA OEL	TWA PEL		5 mg/m3
			Form of Exposure	Respirable fraction.	
		US CA OEL	TWA PEL		10 mg/m3
			Form of Exposure	Total dust.	

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	off-white
<b>Physical State</b>	viscous liquid suspension
<b>Odor</b>	mild
<b>pH</b>	7.5
<b>Specific Gravity</b>	1.12 at 20 °C
<b>Melting/Freezing Point</b>	-6.7 °C / 19.9 °F
<b>Water Solubility</b>	dispersible
<b>Viscosity</b>	350 - 500 mPa.s at 25 °C

**SECTION 10. STABILITY AND REACTIVITY**



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
 MSDS Version 1.0

<b>Chemical Stability</b>	Stable under normal conditions.
<b>Incompatibility</b>	None known.
<b>Hazardous Decomposition Products</b>	hydrogen chloride (HCl) hydrogen cyanide (hydrocyanic acid) carbon dioxide (CO <sub>2</sub> ) Carbon monoxide nitrogen oxides (NO <sub>x</sub> )
<b>Hazardous Reactions</b>	Will not occur.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

<b>Acute Oral Toxicity</b>	male rat: LD50: > 4,870 mg/kg  female rat: LD50: 4,143 mg/kg
<b>Acute Dermal Toxicity</b>	male/female rabbit: LD50: > 2,000 mg/kg
<b>Acute Inhalation Toxicity</b>	male/female rat: LC50: > 5.33 mg/l Exposure time: 4 h (actual) Determined in the form of liquid aerosol.  male/female rat: LC50: > 20 mg/l Exposure time: 1 h (actual) Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
<b>Skin Irritation</b>	rabbit: No skin irritation
<b>Eye Irritation</b>	rabbit: Mild irritation to the cornea and conjunctiva was observed with all irritation clearing within 7 days post-treatment. Minimally irritating.
<b>Sensitization</b>	guinea pig: Non-sensitizing
<b>Subchronic Toxicity</b>	In a 3-week dermal toxicity study, rabbits treated with imidacloprid showed no local or systemic effects at levels up to and including 1000 mg/kg, the limit dose.  In a 4-week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and organ weights.



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
MSDS Version 1.0

**Chronic Toxicity** In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroids and/or liver.

**Assessment Carcinogenicity**  
In oncogenicity studies in rates and mice, imidacloprid was not considered carcinogenic in either species.

- ACGIH**  
None.
- NTP**  
None.
- IARC**  
None.
- OSHA**  
None.

**Reproductive & Developmental Toxicity** **REPRODUCTIVE TOXICITY:** In a two-generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity.

**DEVELOPMENTAL TOXICITY:** In developmental toxicity studies in rats and rabbits, there was no evidence of an embryotoxic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.

**Neurotoxicity** In acute and subchronic neurotoxicity screening studies in rats, imidacloprid produced slight neurobehavioral effects in each study at the highest dose tested. There were no correlating morphological changes observed in the neural tissues.

In a one-generation developmental neurotoxicity screening study in rats, offspring exposed to imidacloprid showed decreased motor activities. These effects occurred at the highest dose tested and in conjunction with maternal toxicity. There were no correlating morphological changes observed in the neural tissues.

**Mutagenicity** The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.

**SECTION 12. ECOLOGICAL INFORMATION**

**Environmental Precautions** Extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Notify state and/or Federal authorities and Bayer immediately if you observe any adverse environmental effects due to the use of this product.



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
MSDS Version 1.0

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**General Disposal  
Guidance**

Follow container label instructions for disposal of wastes generated during use in compliance with the product label. In other situations, bury in an approved landfill or burn in an incinerator approved for pesticide destruction. Do not re-use empty containers.  
Packaging that cannot be cleaned should be disposed of as product waste.

**SECTION 14. TRANSPORT INFORMATION**

**DOT CLASSIFICATION:**

Not regulated for Domestic Surface Transportation

**FREIGHT CLASSIFICATION:**

Insecticides or Fungicides, N.O.I., other than poison

**SECTION 15. REGULATORY INFORMATION**

**EPA Registration No.** 432-1312

**US Federal Regulations**

**TSCA list**

None.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

None.

**Canadian Regulations**

**Canadian Domestic Substance List**

None.



**Material Safety Data Sheet**  
**SUBMERGE 2F INSECTICIDE**

MSDS Number: 102000006536  
MSDS Version 1.0

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**SECTION 16. OTHER INFORMATION**

**NFPA**

Health - 1      Flammability - 1      Reactivity - 1      Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Update format; change MSDS Number.

Revision Date: 04/05/2005

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.