

MSDS Number: 102000015064 MSDS Version 2.0 Revision Date: 04/23/2008

Average % by Weight

21.40

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MSDS Number EPA Registration No. PROKOZ ZENITH 2F INSECTICIDE 102000015064 432-1312

Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day) For Product Information call: 1-800-331-2867

CAS-No.

56-81-5

138261-41-3

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Imidacloprid

Glycerine Alkylated naphthalene sulfonate, formaldehyde polymer, sodium salt

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section Emergency Overview	n 11 for detailed toxicological information. Caution! Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing.	
Physical State	liquid suspension	
Odor	mild	
Appearance	off-white	
Routes of Exposure	Ingestion, Skin Absorption, Eye contact, Inhalation	
Immediate Effects Eye	May cause mild irritation to eyes. Avoid contact with eyes.	
Skin	May cause slight irritation. Harmful if absorbed through skin. Avoid contact with skin and clothing.	
Ingestion	Harmful if swallowed. Do not take internally.	
Inhalation	Avoid inhalation of vapour or mist.	



MSDS Number: 102000015064 MSDS Version 2.0

Chronic or Delayed Long-Term	This product or its components may have target organ effects.
Potential Environmental	Highly toxic to bees. Highly toxic to aquatic invertebrates.

SECTION 4. FIRST AID MEASURES

Effect

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Еуе	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTIN	IG MEASURES
Flash point	> 93 °C / > 199 °F
Suitable Extinguishing Media	Water spray, Foam, Carbon dioxide (CO2), Dry chemical
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.



SECTION 6. ACCIDENTAL RELEASE MEASURES

SECTION 6. ACCIDENTAL P		
Personal Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods for Cleaning Up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional Advice	Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.	
SECTION 7. HANDLING AN	D STORAGE	
Handling Procedures	Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.	
Storing Procedures	Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.	
Work/Hygienic Procedures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.	
	Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Min/Max Storage Temperatures	Recommended maximum transport/storage temperature: 38 °C / 100 °F The 30-day storage temperature average must not exceed the recommended maximum.	
	ONTROLS / PERSONAL PROTECTION	
SECTION 0. EAPOSURE CU		
General Protection	Follow all label instructions. Train employees in safe use of the product.	
	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.	
Eye/Face Protection	Tightly fitting safety goggles	
Hand Protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)	



MSDS Number: 102000015064 MSDS Version 2.0

Chemical resistant gloves made of waterproof material such as polyethylene or polyvinyl chloride

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Imidacloprid Glycerine	138261-41-3 56-81-5	OES BCS* ACGIH OSHA Z1 OSHA Z1 OSHA Z1A OSHA Z1A TX ESL TX ESL	TWA PEL PEL TWA TWA ST ESL AN ESL	0.7 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 50 ug/m3 5 ug/m3

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	off-white
Physical State	liquid suspension
Odor	mild
рН	7.5
Density	1.12 g/cm³ at 20 °C
Melting / Freezing Point	-6.7 °C / 19.9 °F
Water solubility	dispersible
Viscosity	350 - 600 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Hazardous Decomposition Products	Thermal decomposition can lead to release of: Hydrogen chloride (HCI) Hydrogen cyanide (hydrocyanic acid)
	Carbon dioxide (CO2) Carbon monoxide



MSDS Version 2.0

MSDS Number: 102000015064

Material Safety Data Sheet PROKOZ ZENITH 2F INSECTICIDE

Nitrogen oxides (NOx)

Hazardous Reactions Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

Acute Oral Toxicity	male rat: LD50: > 4,870 mg/kg	
	female rat: LD50: 4,143 mg/kg	
Acute Dermal Toxicity	male/female combined rabbit: LD50: > 2,000 mg/kg	
Acute Inhalation Toxicity	male/female combined rat: LC50: > 5.33 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. (actual) male/female combined rat: LC50: > 20 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50. (actual)	
Skin Irritation	rabbit: No skin irritation.	
Eye Irritation	rabbit: Minimally irritating.	
Sensitization	guinea pig: Non-sensitizing.	
Chronic Toxicity	Imidacloprid caused thyroid and/or liver effects in chronic dietary studies in rats and dogs.	

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in studies in rats and mice.

ACGIH None. NTP None. IARC None. OSHA None.

Reproductive & Developmental Toxicity

REPRODUCTION: Imidacloprid was not a reproductive toxicant in a multigeneration study in rats.



MSDS Number: 102000015064 MSDS Version 2.0

DEVELOPMENTAL TOXICITY: Imidacloprid is not considered a primary developmental toxicant in rats and rabbits. Developmental effects were observed at doses that caused maternal toxicity.

Neurotoxicity Imidacloprid showed slight behavioral and activity changes only at the highest dose tested in neurotoxicity studies in rats. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal
GuidancePesticide, spray mixture or rinse water that cannot be used according to label
instructions may be disposed of on site or at an approved waste disposal facility.Container DisposalDo not re-use empty containers. Triple rinse containers. Then offer for recycling
or reconditioning or puncture and dispose of in a sanitary landfill or incineration,
or if allowed by State and Local authorities, by burning. If burned, stay out of
smoke.

SECTION 14. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION: Not regulated for shipment by any mode of transportation

FREIGHT CLASSIFICATION: Insecticides or Fungicides, N.O.I.; other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1312



MSDS Number: 102000015064 MSDS Version 2.0

US Federal Regulations TSCA list Glycerine 56-81-5 Alkylated naphthalene sulfonate, formaldehyde polymer. sodium salt US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None. SARA Title III - Section 302 - Notification and Information None. SARA Title III - Section 313 - Toxic Chemical Release Reporting None. **US States Regulatory Reporting** CA Prop65 This product does not contain any substances known to the State of California to cause cancer. This product does not contain any substances known to the State of California to cause reproductive harm. **US State Right-To-Know Ingredients** Glycerine 56-81-5 IL, MN, RI None. **Canadian Regulations Canadian Domestic Substance List** Glycerine 56-81-5 Alkylated naphthalene sulfonate, formaldehyde polymer, sodium salt Environmental CERCLA None. **Clean Water Section 307 Priority Pollutants** None. Safe Drinking Water Act Maximum Contaminant Levels None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association): Health - 1 Flammability - 1 Reactivity - 0 Others - none 0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 2: Composition/Information on Ingredients; Updated due to corrected system migration and/or numbering scheme.



MSDS Number: 102000015064 MSDS Version 2.0

Revision Date: 04/23/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.