2010 GEORGIA PEST MANAGEMENT HANDBOOK

Homeowner Edition Special Bulletin 48

Edited by Paul Guillebeau, Extension Entomologist

Compiled by Detsy Bridges

With contributions from the Departments of Agricultural Engineering, Crop and Soil Sciences, Entomology, Forestry and Natural Resources and Aquaculture and Fisheries, Horticulture, and Plant Pathology

The University of Georgia Cooperative Extension College of Agricultural and Environmental Sciences

The thirty-first edition of the *Georgia Pest Management Handbook* gives current information on selection, application, and safe use of pest control chemicals. The Handbook has recommendations for pest control on farms, around homes, urban areas, recreational areas, and other environments in which pests may occur. Cultural, biological, physical, and other types of control are recommended where appropriate.

Additional information on control of insects, plant diseases, and weeds is available in bulletins, circulars, and leaflets published by the Cooperative Extension. Your county agent will provide copies upon request. Many publications are also available at http://www.caes.uga.edu/publications

Recommendations are based on information on the manufacturer's label and on performance data from Georgia research and Extension field tests. Because environmental conditions and methods of application by growers vary widely, suggested use does not imply that performance of the pesticide will always conform to the safety and pest control standards indicated by experimental data.

This publication is intended to be used only as a guide. Specific rates and application methods are on the pesticide label. Refer to the label when applying any pesticide. Please send improvement suggestions to bugman@uga.edu.

COPIES ARE AVAILABLE AT \$15.00 EACH. Visit us on the web at http://www.ent.uga.edu/pmh. Please make check or money order payable to the UNIVERSITY OF GEORGIA and send to:

OFFICE OF COMMUNICATIONS

Cooperative Extension 117 - Hoke Smith Annex The University of Georgia Athens, Georgia 30602

Include your name, street address (UPS will not deliver to a Post Office Box), city, state and zip code. Credit card orders can be made by calling (706) 542-2657 or by faxing order information to (706) 542-0817.

PESTICIDE EMERGENCIES

Pau I Guillebeau, Extension Entomologist

POISON CONTROL CENTER (HUMAN OR ANIMAL) National Poison Control Hotline (Spanish speakers available) (800) 222-1222

SPILLS

(800) 241-411 3 (Dept. of Natural Resources)

Avoid emergencies/Prepare for emergencies.

- 1. Keep children away from pesticides!
- 2. Do not store pesticide in food or drink containers.
- 3. Keep gloves and other protective clothing wherever pesticides are used or stored.
- 4. Have water available to wash pesticides from skin or eyes.
- 5. Store and handle pesticides in areas where spills will be contained.
- 6. Assemble and maintain a spill kit wherever you handle pesticides.
- 7. Make sure that all employees understand how to handle pesticide emergencies.
- 8. Be familiar with the first aidd instructions on the pesticide label.

Symptoms of pesticide poisoning: nausea, vomiting, diarrhea, cramps, headache, dizziness, weakness, confusion, sweating, chills, chest pains, difficulty breathing, unconsciousness. If you have any of these symptoms while you are handling pesticides, suspect pesticide poisoning.

FIRST AID FOR POISONING

- 1. Stop the pesticide exposure as quickly as possible. CALL 911 IF SYMPTOMS ARE SERIOUS! CALL POISON CONTROL (800-222-1222) FOR FIRST AID INFORMATION. YOU WILL NEED THE PESTICIDE LABEL.
- 2. If the victim is not breathing, administer artificial respiration at once.
- 3. Consult the pesticide labeling if possible. Directions for first aid will be on the front panel
- 4. Otherwise, follow these guidelines.

SKIN: drench skin as quickly as possible with plenty of water. Any moderately clean water can be used if not contaminated with pesticides. Remove contaminated clothing. Wash with soap if available. Dry victim and treat for shock. If skin is burned, cover with clean, loose bandage or cloth. Do not apply ointments to burned skin.

EYE: Wash eye quickly but gently. Rinse eye with clean water for at least 15 minutes.

INHALED: Move victim to fresh air. Warn other nearby people. Loosen clothing that restricts breathing. Administer artificial respiration if necessary.

SWALLOWED: Rinse mouth with plenty of water. Give large amounts of water or milk (up to one quart) to drink. Consult the label before you induce vomiting. Do not give liquids or induce vomiting to anyone who is unconscious or convulsive.

Take the pesticide label with you to the doctor or hospital. DO NOT transport pesticides in the passenger compartment of the vehicle.

HEAT STRESS

Avoid heat stress.

- 1. Acclimate to hot weather or new strenuous activities slowly.
- 2. Drink plenty of water or sports drinks.
- 3. Take frequent breaks during hot weather.
- 4. Plan strenuous activities for the cooler part of the day.

Symptoms of heat stress: sweating, nausea, headache, confusion, loss of coordination, dry mouth, fainting. Severe heat stress (heat stroke) is VERY dangerous.

PESTICIDE EMERGENCIES (continued)

The EPA Guide to Heat Stress in Agriculture is available through your local Extension office.

1. CALL 911 IF SYMPTOMS ARE SERIOUS!

2. Move the victim to a cooler area immediately.

FIRST AID FOR HEAT STRESS

- 3. Cool the victim as quickly as possible by splashing cool water on them or immersing them in cool water. Do not immerse anyone who is unconscious, convulsive, or confused.
- 4. Remove all protective equipment or clothing that is keeping the victim too warm.
- 5. If the victim is conscious, have them drink as much cool water as possible.
- 6. Keep the victim quiet. Get medical ad vice.

PESTICIDE SPILLS

Assemble a spill kit.

- 1. Protective equipment indicated on pesticide label.
- 2. Absorbent material to soak up liquids (cat litter, sand, sawdust, dirt).
- 3. Scoop to pick up contaminated absorbent material.
- 4. Container for contaminated absorbent material (e.g., heavy duty plastic bag).
- 5. Place contaminated material in heavy duty plastic bag and place in outside trash. Dispose with regular trash.

Large spills, leaks, pesticide fires

Call Georgia DNR EPD Response Team (800) 241-4113

Spills on public roads or other public areas

Local sheriff or police.

Georgia State Patrol *GSP (*477) on mobile phone

Smaller spills

- 1. DO NOT HOSE DOWN SPILLS!
- 2. Protect yourself and others.
- 3. Stop the spill sources.
- 4. Confine the spill with a dike of earth or other materials. Protect water sources.
- 5. Absorb liquids with cat litter, sand, earth, etc.
- 6. Scoop up contaminated materials. Store securely.
- 7. Neutralize contaminated site with bleach, activated charcoal, hydrated lime, or removing contaminated soil.
- 8. Absorb any liquids used in during neutralizing.
- 9. Contaminated absorbent materials or soil may be land-applied according to the pesticide label.

IMPORTANT TELEPHONE NUMBERS

Paul Guillebeau, Extension Entomologist

*EMERGENCY NUMBERS * In an emergency dial 911, especially if the person is unconscious, has trouble breathing, or has convulsions.

| POISON CONTROL CENTER (HUMAN OR ANIMAL) National Poison Control Hotline (Spanish speakers available) (800) 222-1222 |
|--|
| Physician Ambulance |
| FIRES, SPILLS, LEAKS, ETC. |
| Georgia DNR Environmental Protection Division Response Team (pesticide fires, spills, leaks) (800) 241-4113 |
| County Police or Sheriff City Police |
| Georgia Highway Patrol Post (*GSP (*477) for mobile phones) Fire Department |
| ENDANGERMENT OF GAME OR FISH |
| Georgia Department of Natural Resources (Non-game endangered species) (800) 241-4113 |
| U.S. Fish and Wildlife Service (800) 344-WILD |
| PHONE NUMBERS FOR PESTICIDE INFORMATION (NON-EMERGENCY) University of Georgia Cooperative Extension Service (voice) (706) 542-2816 or (fax) (706) 542-3872 email: bugman@uga.edu |
| PESTICIDE INFORMATION |
| National Pesticide Telecommunications Network (NPTN), Oregon State University – General information on toxicology, environmental hazard, etc. (M-F, 9:30am-7:30p m EST) (800) 858-7378 |
| Pesticide Manufacturer - The telephone number should be listed on the pesticide label |
| CropLife America – General information about the pesticide industry (M-F, 9:00 am-5:00pm EST) (202) 296-1585 |
| National Response Center – Refers caller to proper government agency for hazardous materials (800) 424-8802 (Voice/TTY) |
| PESTICIDE DISPOSAL |
| Georgia Department of Agriculture (800) 282-5852 EPA Hazardous Waste Hotline (Superfund) (800) 424-9346 |
| EPA SAFE DRINKING WATER HOT LINE – Interprets residue data and give EPA drinking water regulations. (800) 426-4791 |
| Or call your local Health Department or Sanitarian. County City |
| ENFORCEMENT OF PESTICIDE LAWS |
| Georgia Department of Agriculture, Entomology & Pesticides Division (800) 282-5852 |

Safety/Training/Information – Dr. Paul Guillebeau (UGA Cooperative Extension) (706) 542-2816, bugman@uga.edu

EPA Region IV Pesticides Section (404) 562-8956

IMPORTANT TELEPHONE NUMBERS (continued)

WEB SITES WITH PESTICIDE INFORMATION

| Ga. Integrated Pest Management | (IPM) http://ipm.ent.uga.edu | | |
|---|--|--|--|
| The University of Georgia Cooperative Extension Home Page | http://www.caes.uga.edu/extension | | |
| Georgia Department of Agriculture – Pesticide Division | http://agr.georgia.gov (click on Divisions and Plant Industry) | | |
| Pesticide Risks | http://extoxnet.orst.edu | | |
| Pesticides and Cancer | http://www.pestmanagement.rutgers.edu/NJinPAS/postings/EPAcancerev alchem704.pdf | | |
| U.S. Fish & Wildlife Service: Endangered Species | http://www.fws.gov | | |
| Pesticide Questions | http://npic.orst.edu | | |
| USDA National Organic Program | http://www.ams.usda.gov/nop | | |
| Georgia Organics | http://www.georgiaorganics.org | | |
| EPA Office of Pesticide Programs | http://www.epa.gov/pesticides/ | | |

FREQUENTLY ASKED QUESTIONS

How can I find my local Extension office?

Look in phone book or http://ipm.uga.edu

How are my children most likely to be injured by pesticides?

Although the media gives much attention to pesticide risk on food, children are most likely to be injured by pesticides around the home. According to an EPA survey, 50% of households with a child under five years store pesticides within the reach of children.

Many household disinfectants are pesticides that can injure children very quickly. ALWAYS store pesticides safely. NEVER store pesticides in food or drink containers.

Will pesticides hurt my pets?

Some pesticides are dangerous to pets, but the degree of risk depends on the particular pesticide and the type of animal. Fish, small animals (e.g., lizards), and arthropods (e.g., tarantula) are very sensitive to many pesticides. Remove these types of pets or securely cover their cage/tank whenever pesticides are applied. Pets may be attracted to pesticides formulated as baits. Squirrels or other rodents will eat mouse/rat baits. Dogs will eat slug baits.

The pesticide label will provide more information about the pesticide risks in the section entitled 'Hazards to Humans and Domestic Animals'. Follow these precautions very carefully. Also, keep pets away from treated areas until pesticide sprays are dry or as directed by the label. Never allow pets to play with pesticide containers.

How can I get more information about the health and environmental risks of pesticides?

Visit this web site http://ace.orst.edu/info/extoxnet/ It is an excellent source of information about pesticide risk written in language that you can understand. The EPA website is also a good source of pesticide information. www.epa.gov/pesticides

Which pesticides are the most dangerous?

Pesticides must carry one of three signal words that indicate the acute toxicity of the product.

The most dangerous pesticides carry the word DANGER. 'DANGER-POISON' indicates a pesticide that can kill in small amounts. 'DANGER' pesticides can cause irreversible eye damage or severe injury to the skin. Less dangerous pesticides will carry the signal words 'WARNING' or 'CAUTION'.

Look for the signal word before you buy the pesticide. Do not buy 'DANGER' pesticides un less you are prepared to use them responsibly and store them securely.

Even pesticides with the signal words 'WARNING' or 'CAUTION' can be associated with chronic illnesses like cancer. Minimize your exposure to all pesticides.

I have heard that almost all pesticides cause cancer. Is that true?

Some pesticides have been linked with chronic illnesses like cancer, but most pesticides will not cause cancer. According to the American Cancer Society, there is no strong evidence that pesticide residues on food contribute to human cancer. You can find more information about pesticides and cancer at the EXTOXNET web site. http://ace.orst.edu/info/extoxnet/

To minimize your risks, use pesticides sparingly and ALWAYS follow all label directions. You can find more information about pesticide safety at our web site www.ent.uga.edu/pesticide.htm.

What are restricted use pesticides?

Pesticides fall into two broad categories: general use (or unclassified) and restricted use. Any adult may purchase general-use pesticides in many department stores, garden centers, and supermarkets. Restricted-use pesticides (RUP) are more hazardous to humans or the environment. Only applicators that have received special training may purchase restricted-use pesticides at stores licensed to sell RUP. We advise homeowners to avoid the use of any restricted-use pesticide.

I want to control pests around my home with fewer pesticides. Where can I go for information?

IPM or 'Integrated Pest Management' is a way to control pests with a combination of tactics. Pesticides may be a part of an IPM program, but using other techniques can reduce the need for pesticides.

If you have roaches in the kitchen, for example, a weekly application of insecticide could control the roaches. However, your family would also be exposed to the pesticide each week. Through an IPM approach, you would reduce the roach's food source through better sanitation; you would remove sources of water (e.g. a leaky pipe); and you would try to seal cracks where roaches like to hide. You may still have to use pesticides occasionally, but an IPM program can greatly reduce the amount of pesticide needed to control the roaches.

Check with your local county Extension office. They can provide a wealth of information. You may also be interested in the Master Gardener program available through your local Extension office.

The University of Georgia has a tremendous amount of information about all kinds of plants and pest problems around the home. You can easily find them by using the plant name and 'UGA' in a search engine. For example, to find information about azalea, use the terms "azalea uga" as search terms.

In many cases, it is possible to reduce the amount of pesticide needed to control pests around the home using IPM. Our web site will help you get started. http://ipm.ent.uga.edu

How can I dispose of unwanted pesticide?

Avoid leftover pesticide. Only buy the amount of pesticide that you will use within a few weeks. Measure pesticides carefully to avoid mixing more than you need. If you have leftover pesticide mix, apply it to a site listed on the pesticide label. NEVER pour pesticide down the drain.

Rinse empty pesticide containers three times, and pour the rinse water into your sprayer for application to a site listed on the pesticide label. Discard the properly rinsed container with your household trash. DO NOT place any pesticide container with recyclable materials.

If you have pesticide that you do not want, ask your loc al Extension office for advice. They can tell how to dispose of the pesticide safely and legally.

What does 'organic' mean on a food label?

If it includes the USDA seal, it means the product is made with at least 9 5% organic ingredients. Visit this web site for information www.ams.usda.gov/nop

Can I still use chlorpyriphos and diazinon products around my home?

Yes, but the products will no longer be available in stores. FOLLOW the label directions.

How can I use pesticides safely?

Use IPM to reduce the amounts of pesticides you use (http://ipm.ent.uga.edu) ALWAYS follow the label directions even if this handbook or someone else gives you different information.

CONTRIBUTING AUTHORS

ENTOMOLOGY AGRICULTURAL ENGINEERING

John All Paul Sumner

Keith Delaplane

Elmer Gray

Paul Guillebeau
Nancy Hinkle

FOREST RESOURCES AND
AQUACULTURE & FISHERIES

Dan Horton Mike Mengak

Will Hudson

Dean Kemp HORTICULTURE
Ray Noblet Mark Czarnota

Ron Oetting Alton Sparks Dan Suiter

PLANT PATHOLOGY

David Langston Elizabeth Little Jean Williams-Woodward

CROPAND SOIL SCIENCES

Stanley Culpepper Andrew MacRae Patrick McCullough Wayne Mitchem Tim Murphy Eric Prostko Walter Reeves

ABBREVIATIONS AND EQUIVALENTS

FORMULATIONS1

| a.i. = active ingredient | EC = emulsifiable concentrate | S = sprayable powder |
|---------------------------|-------------------------------|--------------------------------|
| AC = aqueous concentrate | EL = emulsifiable liquid | SC = spray concentrate |
| AS = aqueous suspension | F = flowable | SP = soluble powder |
| DF = dry flowable | FC = flowable concentrate | W = wettable powder |
| DG = dispersible granules | G = granules | WDL = water dispersible liquid |
| B = bait | L = liquid | WM = water miscible |
| D = dust | LC = liquid concentrate | WP = wettable powder |
| E = emulsifiable | M = microencapsulated | |

¹Numbers preceding abbreviations for liquid formulations equal pounds of active ingredient per gallon (e.g., 4EC = 4 lbs./gal. emulsifiable concentrate); numbers preceding abbreviations for solid formulations equal percent active ingredient by weight (e.g., 50WP = 50 percent wettable powder).

METHOD OR TIME OF APPLICATION

| CR = cracking stage | PEI = preemergence incorporated | PRE = preemergence | | |
|------------------------------------|----------------------------------|-------------------------------------|--|--|
| LV = low volume | PO = postemergence | PT = post transplant | | |
| NS = nonselective | POT = postemergence over-the-top | RCS = recirculating sprayer | | |
| PDS = postemergence directed spray | PP = preplant | ULV = ultra low volume ² | | |
| PE = preemergence on surface | PPI = preplant soil incorporated | WICK = rope wick applicator | | |

 $^{^{2}}$ Ultra low volume refers to a total spray volume of one/half gallon or less per acre.

MEASURES AND EQUIVAILENTS

| tsp. | = | teaspoonful | | | 1 teaspoonful | = | 4.9 milliliters |
|---------|---|--------------------------------|-----------|---|--------------------------|---|-----------------------------------|
| Tbs. | = | tablespoonful | 1 Tbs. | = | 3 teaspoonfuls | = | 14.8 milliliters |
| fl. oz. | = | fluid ounce | 1 fl. oz. | = | 2 tablespoonfuls | = | 29.6 milliliters |
| c. | = | cupful | 1 c. | = | 8 fluid ounces | = | 236.6 milliliters |
| pt. | = | pint(s) (1 .04 lb. of water) | 1 pt. | = | 2 cupfuls | = | 473.2 milliliters |
| pt./100 | = | pint(s) per 100 gallons | 1 pt./100 | = | 1 teaspoonful per gallon | | |
| qt. | = | quart(s) (2.09 lbs. of water) | 1 qt. | = | 2 pints | = | 946.4 milliliters |
| gal. | = | gallon(s) (8.35 lbs. of water) | 1 gal. | = | 4 quarts | = | 2.7854 liters |
| oz. | = | ounce | | | 1 ounce | = | 28.35 grams |
| lb. | = | pound | 1 lb. | = | 16 ounces | = | 453.59 grams |
| in. | = | inch | 1 in. | = | 1000 mils | = | 2.54 centimeters (25,400 microns) |
| ft. | = | feet | 1 ft. | = | 12 inches | = | 30.48 centimeters |
| yd. | = | yard | 1 yd. | = | 3 feet | = | 91.44 centimeters |
| mi. | = | mile | 1 mi. | = | 5280 feet | = | 1609 meters (16.09 kilometers) |
| sq. in. | = | square inch | | | 1 square inch | = | 6.45 square centimeters |
| sq. ft. | = | square feet | 1 sq. ft. | = | 144 square inches | = | 929.03 square centimeters |
| A. | = | acre | 1 A. | = | 43560 square feet | = | 0.4047 hectare |
| cu. in. | = | cubic inch | | | 1 cubic inch | = | 16.387 cubic centimeters |
| cu. ft. | = | cubic feet | 1 cu. ft. | = | 1728 cubic inches | = | 0.0283 cubic meter |
| cu. yd. | = | cubic yard | 1 cu. yd. | = | 27 cubic feet | = | 0.7646 cubic meter |
| p.p.m. | = | parts per million | 1 p.p.m. | = | 1000 p.p. billion | = | 1 milligram/Kilogram ³ |
| p.s.i. | = | pounds per square inch | | | 1 p.s.i. | = | 70.3 grams per cubic centimeter |

 $^{^3\,}l$ milligram/Kilogram or 1 p.p.m. is equal to 1 milligram/Liter of water.

SUBMITTING SPECIMENS FOR IDENTIFICATION COLLECTION, PREPARATION AND SHIPMENT

INSECTS, PLANT DISEASES, VIRUS DIAGNOSIS, NEMATODES, WEEDS, FISH, VERTEBRATES

Proper identification of pest problems is the foundation of any control program. The UGA Cooperative Extension Service will help you identify pest problems at little or no cost to you. Contact your local Extension office. In most cases, your local agent can diagnose the problem and advise you about proper control. If the local office can not identify the pest, they will contact the appropriate specialist at the University of Georgia. The telephone number of your local Extension office is listed below. You may also check the web for updated or changed phone numbers http://www.caes.uga.edu/extension/statewide.cfm

Appling County, 912-367-8130 Atkinson County, 912-422-3277 Bacon County, 912-632-5601 Baker County, 229-734-3015 Baldwin County, 478-445-4394 Banks County, 706-677-6230 Barrow County, 770-307-3029 Bartow County, 770-387-5142 Ben Hill County, 229-426-5175 Berrien County, 229-686-5431 Bibb County, 478-751-6338 Bleckley County, 478-934-3220 Brantley County, 912-462-5724 Brooks County, 229-263-4103 Bryan County, 912-653-2231 Bulloch County, 912-871-6130 Burke County, 706-554-2119 Butts County, 770-775-8209 Calhoun County, 229-849-2685 Camden County, 912-576-3219 Candler County, 912-685-2408 Carroll County, 770-836-8546 Catoosa County, 706-935-4211 Charlton County, 912-496-2040 Chatham County, 912-652-7981 Chattooga County, 706-857-0744 Cherokee County, 770-479-0421 Clarke County, 706-613-3640 Clay County, 229-768-2247 Clayton County, 770-473-3945 Clinch County, 912-487-2169 Cobb County, 770-528-4070 Coffee County, 912-384-1402 Colquitt County, 229-616-7455 Columbia County, 706-868-3413 Cook County, 912-896-7456 Coweta County, 770-254-2620 Crawford County, 478-836-3121 Crisp County, 229-276-2612 Dade County, 706-657-4116 Dawson County, 706-265-2442 Decatur County, 229-248-3033 DeKalb County, 404-298-4080 Dodge County, 478-374-8137 Dooly County, 229-268-4171 Dougherty County, 229-436-7216 Douglas County, 770-920-7224 Early County, 229-723-3072 Echols County, 229-559-5562 Effingham County, 912-754-2134 Elbert County, 706-283-2037 Emanuel County, 478-237-1226 Evans County, 912-739-1292

Fannin County, 706-632-3061 Fayette County, 770-460-5730, ext. 5412 Floyd County, 706-295-6210 Forsyth County, 770-887-2418 Franklin County, 706-384-2843 Fulton County, 404-730-7000 Gilmer County, 706-635-4426 Glascock County, 706-598-2811 Glynn County, 912-554-7577 Gordon County, 706-629-8685 Grady County, 229-377-1312 Greene County, 706-453-2083 Gwinnett County, 678-377-4010 Habersham County, 706-754-2318 Hall County, 770-531-6988 Hancock County, 706-444-7573 Haralson County, 770-646-2026 Harris County, 706-628-4824 Hart County, 706-376-3134 Heard County, 706-675-3513 Henry County, 770-228-8421 Houston County, 478-987-2028 Irwin County, 229-468-7409 Jackson County, 706-367-6344 Jasper County, 706-468-6479 Jeff Davis County, 912-375-6648 Jefferson County, 478-625-3046 Jenkins County, 478-982-4408 Johnson County, 478-864-3373 Jones County, 478-986-3958 Lamar County, 770-358-5163 Lanier County, 229-482-3895 Laurens County, 478-272-2277 Lee County, 229-759-6025 Liberty County, 912-876-2133 Lincoln County, 706-359-3233 Long County, 912-545-9549 Lowndes County, 229-333-5185 Lumpkin County, 706-864-2275 Macon County, 478-472-7588 Madison County, 706-795-2281 Marion County, 229-649-2625 McDuffie County, 706-595-1815 McIntosh County, 912-437-6651 Meriwether County, 706-672-4235 Miller County, 229-758-4106 Mitchell County, 229-336-2066 Monroe County, 478-994-7014 Montgomery County, 912-583-2240 Morgan County, 706-342-2214 Murray County, 706-695-3031 Muscogee County, 706-653-4200

Newton County, 770-784-2010

Oconee County, 706-769-3946 Oglethorpe County, 706-743-8341 Paulding County, 770-443-7616 Peach County, 478-825-6466 Pickens County, 706-253-8840 Pierce County, 912-449-2034 Pike County, 770-567-2010 Polk County, 770-749-2142 Pulaski County, 478-783-1171 Putnam County, 706-485-4151 Quitman County, 229-334-4303 Rabun County, 706-782-3113 Randolph County, 229-732-2311 Richmond County, 706-821-2350 Rockdale County, 770-785-5952 Schley County, 229-937-2601 Screven County, 912-564-2064 Seminole County, 229-524-2326 Spalding County, 770-467-4225 Stephens County, 706-886-4046 Stewart County, 229-838-4908 Sumter County, 229-924-4476 Talbot County, 706-665-3230 Tattnall County, 912-557-6724 Taylor County, 478-862-5496 Telfair County, 229-868-6489 Terrell County, 229-995-2165 Thomas County, 229-225-4130 Tift County, 229-391-7980 Toombs County, 912-526-3101 Towns County, 706-896-2024 Treutlen County, 912-529-3766 Troup County, 706-883-1675 Turner County, 229-567-3448 Twiggs County, 478-945-3391 Union County, 706-439-6030 Upson County, 706-647-8989 Walker County, 706-638-2548 Walton County, 770-267-1324 Ware County, 912-287-2456 Warren County, 706-465-2136 Washington County, 478-552-2011 Wayne County, 912-427-5965 Webster County, 229-828-2325 Wheeler County, 912-568-7138 White County, 706-865-2832 Whitfield County, 706-278-8207 Wilcox County, 912-365-2323 Wilkes County, 706-678-2332 Wilkinson County, 478-946-2367 Worth County, 229-776-8216